



Recommended Pediatric Immunization Schedule 2020 in Thailand

By Pediatric Infectious Disease Society of Thailand



National Immunisation Program Schedule

Age	Birth	1 month	2 months	4 months	6 months	9-12 months	18 months	2 years	2.5 years	4-6 years	11-12 years
Vaccine											
Bacillus Calmette-Guerin Vaccine (BCG)	BCG										
Hepatitis B vaccine (HBV)	HBV1	(HBV2)									
Diphtheria, tetanus, and whole cell pertussis vaccine (DTwP)			DTwP-HB-Hib-1	DTwP-HB-Hib-2	DTwP-HB-Hib-3		DTwP booster 1			DTwP booster 1	Td booster every 10 years
Haemophilus influenzae type b vaccine (Hib)											
Oral polio vaccine (OPV)			OPV1	OPV2 + IPV	OPV3		OPV booster1			OPV booster2	
Rotavirus vaccine (Rota)			Rota1	Rota2	(Rota3)						
Measles, mumps, and rubella vaccine (MMR)						MMR1	MMR2				
Live Japanese encephalitis vaccine (Live JE)						JE1		JE2			
Influenza						<ul style="list-style-type: none"> 2 doses, separated by at least 4 weeks, for children who have received first time. 1 dose for children who have received last year. 					
Human papillomavirus vaccine (HPV)											recommended at age 11–12 years : 2-dose series at 0, 6–12 months



Recommended Pediatric Immunization Schedule 2020 in Thailand

By Pediatric Infectious Disease Society of Thailand

optional vaccine

Age	2 months	4 months	6 months	12-15 months	18 months	2-2.5 years	4 years	6 years	9 years	11-12 years	15 years
Vaccine											
Diphtheria, tetanus, and acellular pertussis vaccine (DTaP, Tdap or Tdap) Hepatitis A vaccine (Hep B) Inactivated poliovirus vaccine (IPV) Haemophilus influenzae type b vaccine (Hib)	DTaP-HB-IPV-Hib1	DTaP-HB-IPV-Hib2	DTaP-HB-IPV-Hib3		DTaP-HB-IPV-(Hib4) Booster 1		DTaP-IPV or Tdap-IPV Booster 2			Tdap or Tdap and booster Tdap every 10 years	
Pneumococcal vaccine (PCV)	PCV1	PCV2	(PCV3)	PCV4							
Inactivated Japanese encephalitis vaccine (Inactivated JE)			3 doses at 0, 4 weeks, 1year								
Hepatitis A vaccine (HAV)			Inactivated HAV: 2 doses 0, 6-12 months , Live HAV : 1 dose at 18 months								
Varicella vaccine (VZV) or Measles, mumps, rubella vaccine and Varicella vaccine (MMRV)				VZV1 (Or MMRV1)	VZV2 (Or MMRV2)						
Influenza			Influenza vaccine 1 Time/Year (2 doses, separated by at least 4 weeks, for children who have received first time.)								
Human papillomavirus vaccine (HPV)										HPV 2 doses : 0, 6-12 months	
Dengue vaccine (DEN)										DEN 3 doses : 0, 6 , 12 months	
Rabies (Pre-exposure)	2 doses : 0, 7 days										

